# TUTORIAL PHOTO MANAGEMENT







### DESCRIPTION

- Use photos taken during the survey
- Photo visualization

## GOAL

 How to Photo Manager to match images with measured points


## DATA

 Photo manager.xpad; IMG\_4555.JPG; IMG\_4556.JPG; IMG\_4558.JPG









- Photo Manager is a function used to linked and visualize the photos/images to the corresponding survey points
- It can be used to visualize the pictures/image taken in the field using X-PAD Field software
- Or matching other pictures to the measured points








68

ΜΔΧ



- To Export an X-PAD job from the controller with the photos, choose X-PAD Fusion format
- Photo taken in the field with X-PAD are automatically linked to the correct point





 In Photo Manager pictures can be added manually, using the button or by directly dragging the photos into the photo manager



Photo linked to a point



Photo with a valid GNSS position







Link	manually
	From list
	From CAD
Link	automatically
	By date and time
	By GNSS position
<u>~</u>	Unlink photos
<del>00</del> 7	

11/10201 02017 152   2.60 Image: Constraint of the state of the st
From list
25 92500
From CAD
♥ Unlink photos

VIJAY.

- Pictures not from XPAD can be linked in different ways:
  - **Manually:** selecting a picture and match it with the correct point
  - By date and time: XPAD links the pictures by using the date/time when point has been measured and picture taken
  - **By GNSS position:** XPAD link the pictures using the GNSS position of the photo and GNSS position of the measured point






## **Photo Manager from Point list**

GE

ΜΔΧ



- It is possible to add and visualize the photo/pictures also from Survey > Point/Measure table, with double click on the point in the list
- It will be displayed the corresponding survey points database



## **Photo Manager from Point list**

